




DEBONDING

Dental Instruments



THE SIALKOT CHAMBER
OF COMMERCE & INDUSTRY



Whatsapp#: +92 319 4631306



E-mail: info@debondingdentalinst.com



Website URL: www.debondingdentalinst.com


Lingual Anterior Debonding Plier

It is designed to fit the design of lingual brackets under the lingual hooks and bite turbos.

This Instrument incorporates a state of the art spring mechanism to improve durability and has an increased arm radius to allow for Better Movement.

It is used to removal of lingual brackets and bite turbos.

DD-1101



Long Handled Distal End Cutter, Safety Hold T.C.

The features slim extra long handle and compact head to ensure easy access to hard to reach area. Cuts wires close to the buccal tube and safety holds the distal end. Cuts all types of arch wires up to .021" x.025" (.55mm X .64mm).

DD-1102



Mini Distal End Cutter, Safety Hold T.C.

The smaller size and compact head provides easy access to difficult to reach area and help to minimize cheek impingement. Cuts wires close to the buccal tube and safety hold the distal end. Ideal for women orthodontists and dental assistants. Cuts all types of arch wires up to .021" x.025" (.55mm X .64mm).

DD-1103



Flush Cut Distal End Cutter, Safety Hold T.C. Rod Design

Flush Cut to end of the buccal tube eliminating the patient discomfort from arch wire protrusion.

For arch wires up to .021" x .025" (.55 x .64mm).

DD-1104



Flush Cut Distal End Cutter, Safety Hold T.C. Spring Design

Flush Cut to end of the buccal tube eliminating the patient discomfort from arch wire protrusion
For arch wires up to .021 x .025" (.55 x .64mm).

DD-1105



Flush Cut Distal End Cutter, No Hold T.C. Slotted Design

The special design cuts flush and hold distal end. Cuts wires from .016" (.41 mm) to .021" X .025"(.55mm X .64mm).

DD-1106



Standard Ligature Cutter T.C.

This cutter has fine tips with compact head for easier access to difficult to reach areas. Cuts ligature wires, pins & elastics. Wires up to .012" (.30mm).

DD-1107



Standard Ligature Cutter 15° Angled T.C.

Angled at 15° tips provides easy cut to difficult to reach areas. Cuts ligature wires, pins & elastics.
Wire up to .012" (.030mm).

DD-1108



Precision Cutting

Long Handled Ligature Cutter Slim T.C.

Mini compact sharp tips, slim long handle provides easy access to molar areas. Wires upto. 012" (.30mm)

DD-1109



Mini Ligature Cutter T.C.

The small head fine precision pointed tips specially designed for soft wires enable to cut wires into hard to reach areas inside the bracket slot effectively. Wires up to .012" (.30mm).

DD-1110



Lingual Ligature Cutter 50° Angled T.C.

Mini curved compact tips at 50° slim long handle provides easy access to molar and upper lingual areas
Ideal for upper lingual Wires cuts upto.012" (.30mm)

DD-1111



Lingual Ligature Cutter 60° Angled T.C.

Mini curved compact tips at 60° slim long handle provides easy access to molar and lower lingual areas.
Ideal for lower lingual Wires cuts upto.012" (.30mm).

DD-1112



Hard Wire Cutter T.C.

Easily cuts all types of arch wires and retainers.
Wires from .012" (.30mm) to .021" X .025" (.053mm X.064mm).

DD-1113



Hard Wire Cutter 15° Angled T.C.

Easily cuts arch wires or pin 15° angled tips provide greater visual access to the posterior areas. Wire cuts from .012" (.30mm) to .021" X .025" (.053mm X.064mm).

DD-1114



Hard Wire Cutter Black Coated Titanium T.C.

Easily cuts arch wires and retainers. Wire cuts from .012" (.30mm) to .021" X .025" (.53mm X.64mm).

DD-1115



Hard Wire Cutter Black Coated Titanium 15° Angled T.C.

Easily cuts arch wires or pin with 15° angled tips provide greater visual access to the posterior areas. Wire cuts from .012" (.30mm) to .021" X .025" (.53mm X.64mm).

DD-1116



Heavy Duty Wire Cutter T.C.

Ideal for laboratory use with comfortable vinyl grip hold and cuts all types of wires up to .030" (1mm)

DD-1117



Supra Heavy Duty Cutter T.C.

This powerful instrument cuts up to 1.5mm wire with ease due to its triple action design. TC inserted tips ensure precision cutting and perfect tip alignment. Cuts from .014" (.35mm) to .060" (1.5mm).

DD-1118



Weingart Utility Pliers Small "V" Type

Universal versatile small "V" shaped angular serrated beaks are firmly grip for placement and removal of any archwires up to .021" x .025" (.55mm X.64mm).

DD-1119



Weingart Utility Pliers Small "V" Type With T.C.

DD-515N T.C.

Weingart Utility Pliers

Small popular versatile serrated beaks utility plier for small hands. Wires up to .021" X .025" (.53mm X.64mm).

Weingart Utility Pliers With T.C.

DD-1120



Weingart Utility Pliers 60°

Small and slim precision serrated 60° angular beaks for an easy access to posterior or lingual areas. Wires up to .025" (.064mm).

DD-1121



Weingart Utility Pliers

Slim and long precision serrated 45° curved beaks are designed for easy placement and removal of arch wires. Convenient to reach molar and lingual areas Wires up to .025" (.064mm).

DD-1122



Weingart Utility Pliers Micro

Delicate micro serrated tips hold soft archwires firmly. Convenient for lingual hard to reach areas. Wires up to .020" (.51mm).

DD-1123



How Utility Pliers 3mm Tips Straight

Utility pliers with serrated 3mm tips for easy placement and removal of all types of archeries. Wires Up to .022" x .028" (.56mm X .71mm).

DD-1124

How Utility Pliers 3mm Tips Straight With T.C.

DD-1125



Surgical Grade Stainless Steel

How Utility Pliers 3mm Tips Curved

Utility pliers 40° curved serrated tips for easy access to posterior, lingual and hard to reach areas. Wires up to .022" X .025" (.56mm X .64mm).

DD-1126

How Utility Pliers 3mm Tips Curved With T.C.

DD-1127



Bird Beak Pliers Classic

The most popular and versatile plier for forming loops on all types of round archwires. Wires up to .028" (.71mm).

DD-1128

Bird Beak Pliers Classic With T.C.

DD-1129



Bird Beak Pliers With Cutter T.C.

The most popular and versatile pliers with notch for non-slip forming loops on all types of round arch wires. Up to .028" (.71mm) and cuts wires up to .020" (.51mm).

DD-1130



Bird Beak Pliers Long

Longer beaks for making precision loops in light round and square. Wire up to .028" (.71mm).

DD-1131

Bird Beak Pliers Long With T.C.

DD-1132



Light Wire Pliers with 2 Grooves

The most popular wire bending pliers. For bend and loop in arch wires up to .025" (.64mm). The grooves assures firm grip of holding wires. Flat beak is grooved for holding round wire at 1mm and 2mm from tip.

DD-1133



Light Wire Optical Pliers 1 Groove

Excellent for forming spiral closing loops and arch positive wires up to .022" x .025" (.53mm X 0.64mm).,

DD-1134



Adams Pliers

Precise Square beaks bend right angle and appliances wires up to .040" (1mm).

DD-1135



Adams pliers With T.C.

DD-1136



Tweed Arch Forming Pliers .70mm

Designed for torquing and bending square or rectangular wires. The .70mm blades are designed to be parallel at .020" opening. Use on wires up to .021" x .025" (.55 x .64mm).

DD-1137



Tweed Arch Forming Pliers .70mm With T.C.

DD-1138

Corrosion Resistant


Tweed Arch Forming Pliers 1mm

Designed for torquing and bending square or rectangular wires. The 1mm blades are designed to be parallel at .020" opening. Use on wires up to .021" x .025" (.55 x .64mm).

DD-1139

Tweed Arch Forming Pliers 1mm With T.C.

DD-1140



Nance Loop Pliers

Precise loops forms in 4 steps 3mm, 4mm, 5mm and 6mm. Slot at the back helps in closing loops. Serrated one side for non- slippage. Wires up to .022" (.56mm).

DD-1141

Nance Loop Pliers With T.C.

DD-1142



Tweed Loop Forming Pliers

Excellent loop forming pliers with .045", .060" and .075" diameters in arch wires up to .022" X .025" (.53mm X .64mm).

DD-1143



Omega Tweed Loop T.C.

Serrated concave/convex tips for making accurate omega loops. Diameters of .045", .060" and .070" . wires up to .022" x .028" (.56mm X .71mm)

DD-1144



100% Guaranteed

3-Prong Pliers

Precision aligned tips are gently rounded for consistent contouring and bending without damaging the arch wire, adjust clasps and retainers. One-piece construction of the double tip ensures superior strength and accuracy.

Wires up to .030" (.76mm).


DD-1145



Niti 3-Prong Pliers Small

Excellent 3-Prong for effective bending and forming of niti wires up to .016" (.41mm).


DD-1146



Jarabak Pliers

Half round serrated flat beak s ideal for bending and forming or light wire .Three grooves assure accurate bending and closing of loops. Bend wires up to .021" X .025" (.53mm X .64mm).

DD-1147



Jarabak Pliers With T.C.

DD-1148

Jarabak Pliers With Cutter T.C.

Half round serrated beak is ideal for bending and forming or light wires. Three grooves assure accurate bending and closing of loops. Wires upto.021" x .025" (.53mm X .64mm). Cuts wires up to.020" (0.51mm)

DD-1149



Highest Precision

Tweed Loop Pliers

Concave/convex beaks make small loops, distal stops and omega loops on arch wires. Wires up to .021" x .025" (.55 x .64mm).

DD-1150



Occulist Optical Pliers (Small)

Designed to form loops on round and rectangular wires. Up to .020" (.54mm).

DD-1151

Occulist Optical Pliers (Small) With T.C.

DD-1152



Occulist Optical Pliers (Large)

Ideal for bending round and rectangular wires. Up to .022" (.56mm).

DD-1153



Johnson Band Contouring Pliers

Small precision matched concave and convex tips for the contouring of bands and crowns.

DD-1154



Band Crimping Pliers

The instrument is designed to crimp and reform band with comfort and accuracy.


DD-1155



Band Slitter Pliers T.C.

Fine pointed tips cuts upper & lower bands for easy placement and reduce patient discomforts.

DD-1156



Posterior Band Remover Short

The plastic pad rests on the occlusal surface of the molar which places the removing tip in the perfect position to remove bands. Replacement pads are available.

DD-1157

Posterior Band Remover Short With T.C.

DD-1158



Posterior Band Remover Long

The plastic pad rests on the occlusal surface of the molar which places the removing tip in the perfect position to catch the gingival edge of the band. Slim and longer beaks effectively remove molar bands.

DD-1159



Direct Bond Bracket Remover Straight

Remove bracket easily by holding the face of the canine bracket in a horizontal position and slightly applying pressure by torquing or turning in a clockwise motion or anti clockwise motion.

DD-1160



Direct Bond Bracket Remover Straight

Debond all types of canine brackets and attachments at ease and safe.

DD-1161



Direct Bond Bracket Remover 40° Angled

Designed at 40° angle allows us easier access of difficult to reach posterior brackets and anterior bonded attachments.

DD-1162



Direct Bond Bracket Remover 80° Angled Lingual

Specially designed for easy removal of lingual brackets and attachments.

DD-1163



Adhesive Removing Pliers T.C.

Sharpe metal tip remove adhesive after deboning. Pad rests on occlusal surface of the tooth for any discomfort to the patient.

DD-1164

Replacement Pads (Set of 2)

DD-1165



Crimpable Hook Pliers Straight

The slotted tip holds the hook for positive firm crimping and locked.

DD-1166



Crimpable Hook Pliers Angled

Angled tips are for easy access hard to reach areas for a positive firm crimping on hooks.

DD-1167



Special Stop V-Bend Pliers

Designed to provide an accurate 1mm v stop on all types of archwires and NITI up to .022" X .025" (.53mm X .64mm).

DD-1168

Special Stop V-Bend Pliers With T.C.

DD-1169



Step Plier ½ mm T.C.

Strong and sturdy plier is excellent for up or down ½ mm step on archwires incremental with intervals. Wires up to .022" X .028" (.56mm X .71mm)

DD-1170



Step Plier ¾ mm T.C.

Strong and sturdy plier is excellent for up or down ¾ mm step on archwires incremental with intervals. Wires up to .022" X .028" (.56mm X .71mm)

DD-1171



Step Plier 1 mm T.C.

Strong and sturdy plier is excellent for up or down 1 mm step on archwires incremental with intervals. Wires up to .022" X .028" (.56mm X .71mm)

DD-1172



Cinch Back Niti Tie Back Distal Pliers

Fine serrated tips on edge of this instrument hold the wire securely while bending the NITI arch wire at 90° distal to the buccal tube. Wires up to .025" (.64mm)

DD-1173



Tube Crimping Pliers With Groove

Grooved tips are designed for crimping stops and tubes on wires.

DD-1174




Torquing Set of Pliers

A set of 2 pliers for making an accurate torque on arch wires. up to .025" (.64 mm)

Set of 2 DD-1175 Male DD-1176 Female DD-1177

Torquing Set of Pliers with T.C.

Set of 2 DD-1178 Male DD-1179 Female DD-1180



De La Rosa Arch Contouring Pliers

Precision matched concave and convex tips for smooth contouring of light wire loops. Contours and forms arches without torquing. Wires up to .021x.025" (.055mm X.064mm).

DD-1181



De La Rosa Arch Contouring Pliers With Grooves

Same design as DD-541 with three grooves measuring .018" (.46mm) .022" (.56mm) and .025" (.64mm) for contouring of light wires loops. Contours and forms arch without torquing.

Wires up to .021 x .025 (.055mm x .064mm).

DD-1182



Hollow Chop

Excellent for forming NITI arch wires. Gentle curvature for contouring all types of wires up to .025" (0.64mm).

DD-1183



Ligature Forming Pliers

Performs ligature wires accurately.

DD-1184



Reynolds Pliers

Ideal for contouring bands and crowns in lingual, molar areas.

DD-1185



Kim Pliers With Cutter T.C.

Three steps forming and bending multiple loops edgewise arch wires .diameter 1.2mm, 1.8mm and 2.2mm and cuts all types of wires up to .022" (.053mm).

DD-1186



Young Pliers

Heavy duty with diameter 2mm, 3mm and 4mm and a pair of closing grooves at the back to make different small loops for multi-loops edgewise arch wires. Up to .045".

DD-1187



Lingual Arch Forming Pliers

Forms Double and Triple-back bend in .030" (.76mm) and .036" (.90mm) wires fit in lingual sheaths.

DD-1188



Easy Ligature Placer

Delicate fine tips allow easy access and placement of elastomerics.


DD-1189



Elastic Separating Pliers

Fine curved beaks for easy access to difficult areas. Grooved tips assure positive hold for positioning elastomeric effectively and safely.

DD-1190



Elastic Separating Pliers With Adjustable Screw

Same function of DD-509S with an adjustable screw for control, accuracy and placement of elastics.


DD-1191



Coon Style Ligature Tying Pliers

A precision hand crafted self locking ligature tying pliers with precise slotted beaks for the holding wires to ensure the ease of applying and tying ligature wires.

DD-1192



Mathieu Smaha Straight

Mosquito style fine serrated tips but strong enough for inserting arch wires. Excellent for placing elastomers.

DD-1193



Mathieu Smaha Curved

Mosquito style fine curved tips but strong enough for inserting arch wires & excellent for placing elastomeric on lingual brackets.

DD-1194



Mathieu Ligature Pliers Narrow

Precision serrated narrow tips. Placement of ligating wires and elastomeric ties. Ratchet locking assures a non-slip grip.

DD-1195



Mathieu Ligature Pliers Standard

Precision serrated wide tips. Placement of ligating wires and elastomeric ties. Ratchet locking assures a non-slip grip.

DD-1196



Mathieu Ligature Pliers Standard T.C.

Precision serrated carbide inserted tips. Placement of ligating wires and elastomeric ties. Ratchet locking assures a non-slip grip.


DD-1197



Mathieu Ligature Pliers Hook

Features a hook designed for ease and exactness of placing of elastomerics. Locking handle provide non-slip grip.

DD-1198



Mathieu Ligature Pliers With Notch

The notch at the tip allows firm hold and for placement of elastics. Locking handle provides non-slip grip.

DD-1199



Mathieu Ligature Plier (Lobster)

Mathieu style ligating pliers excellent for placement for elastics ligatures. Locking handle provides non slip grip.

DD-1200



Mathieu Narrow Tip Double Spring

Precision serrated tips. Placement of ligating wires and elastomeric ties. Ratchet locking assure a non-slip grip and double spring provides an easy application

DD-1201



Mathieu Wide Tip Double Spring T.C.

Precision serrated carbide inserted tips. Placement of ligating wires and elastomeric ties. Ratchet locking assures a non-slip grip and double spring provides an easy application.


DD-1202



Mosquito Forceps straight

Ligature hemostat with micro serrated tips for multi utility. action make this an Excellent instrument for tying ligatures.



DD-1203



Mosquito Forceps Curved

Ligature hemostat with micro Serrated tips for multi utility. Locking action make this an Excellent instrument For tying ligatures. Effective for lingual use.

DD-1204



Mosquito Forceps Hook

Designed for ease and sureness in placing elastic ligatures. and locking handle assure a non-slip grip.

DD-1205



Mosquito Forceps Notch

Ligature hemostat with notch serrated tip allows for easy Placement of elastics. Locking handle assure a non-slip grip.

DD-1206



Bracket & Cotton Tweezers

Self-Locking Deluxe Bracket Holder Serrated Tips

DD-1207



Self-Locking 3-Hole Bracket Holder Serrated Tips

DD-1208



Self-Locking Bracket Locating Tweezers With Alignment Serrated Tips

DD-1209



Self-Locking Bracket Locating Tweezers with Alignment Serrated Tips

DD-1210



Bracket & Cotton Tweezers

Self-Locking Bracket Locating Tweezers Fine Points

DD-1211



Self-Locking Bracket Locating Tweezers With Alignment Serrated Tips

DD-1212



Self-Locking Bracket Locating Tweezers With Alignment Serrated Tips

DD-1213



Self-Locking Bracket Locating Tweezers Serrated Tips 13.5cm

DD-1214



Bracket & Cotton Tweezers

Self Locking Bracket Locating Tweezer Curved Serrated Tips 13.5cm. Special For Lingual Use

DD-1215




Keat Special Tweezers Ideal For Buccal Tubes

DD-1216



Self-Locking Keat Special Tweezers Ideal For Buccal Tube

DD-1217



Perry Tweezers Serrated Tips

DD-1218



Bracket & Cotton Tweezers

College/Cotton Tweezers Serrated Tips

DD-1219



College/Cotton Tweezers Serrated Tips With Locking Grip

DD-1220



Meriam Tweezers Serrated 13.5 cm

DD-1221



DEBONDING
Dental Instruments

Hand Instrument

Band Pusher Mershon

DD-1222



Band Pusher Mershon Heavy Duty

DD-1223



Elastics Remover

DD-1224



Band Pusher And Schure Scaler

DD-1225




Hand Instrument

Band Pusher And Schure Scaler curved

Band pusher for placing molar and cuspid bands while scaler removes cement and alginates.

DD-1226



Band Pusher And Elastic Remover

DD-1227



Ligature Director Double Ended

DD-1228



Ligature Director Double Ended Curved

DD-1229



Hand Instrument

Ligature Director and scaler

DD-1230




Twirl-On Elastic Placer

DD-1231



Lingual Ligature Director U-Shape

DD-1232



Distal End Bender Double Ended

Used for S.S. Wires upto .025" (.64mm)

DD-1233



Hand Instrument

Bite Sticks

- Metal serrated triangle tip
- Molded high impact plastic
- Cold sterilization

DD-1234



Dental Diagnostic Kit

Dental diagnostic kit a set of 3 pieces mouth mirror, probe, and college tweezers.

DD-1234



Ortho & Dental Guage

Stainless Steel Height Gauge

A Straight Double-end for accurately measuring height of bracket on tooth from the incisal edge. The gauge has 3.5mm, 4.0mm, 4.5mm, 5.0mm sizes

Sizes

Slot: .018 , .022

DD-1235-.018

DD-1236-.022



Stainless Steel Swing Height Gauge

Double-end swing design for accurately measuring height of bracket on tooth from the incisal edge and easy to reach bicuspids. The gauge has 3.5mm, 4.0mm, 4.5mm, 5.0mm sizes

Sizes

Slot: .018 , .022

DD-1237-.018


DD-1238-.022



Boone Bracket Positioning Gauge

Different heights for brackets positioning 3.5mm, 4.0mm, 4.5mm, 5.0mm. The points sit inside the brackets face and measure to the incisal edge.

DD-1239



Boley Gauge Pointed Curved

DD-1240



Ortho & Dental Guage

Micro Boley Gauge Dual Measure

DD-1241



DEBONDING
Dental Instruments

Scissors

Kelly Scissors Straight

16 cm (6 ¼ ")

DD-1242



Kelly Scissors Curved Crown And Collar Scissors Straight

12 cm (4 ¾ ")

DD-1243



Crown And Collar Scissors Curved

DD-1244



Crown And Collar Scissors One Blade Serrated

12 cm (4 ¾ ")

DD-1245



Mayo Scissors Straight

14.5 cm (5 ¾ ")

DD-1246



Mayo Scissors Curved

DD-1247



Scissors

Ultra Sharp Tips

Iris Gum Scissors Straight

11.5 cm (4 ½ ”)

DD-1248



Iris Gum Scissors Curved

DD-1249



Metzenbaum Scissors Blunt Curved T.C.

14.5 cm (5 ½ “)

DD-1250



Locklin Scissors Angled

16 .5cm (6 ½ “)

DD-1251



DEBONDING
Dental Instruments

Instruments & Dental Trays

Impression Trays

Stainless steel 18/8 impression trays with retention rim.

Impression trays for crown and bridge-work

100% Non magnet Stainless Steel
Heat Sterilizable



Upper

420 421 422 423 424 425



U1 U2 U3 U4 U5 U6

Lower

426 427 428 429 430 431



L1 L2 L3 L4 L5 L6

Partial

432 433 434 435 436 437



Stainless steel instrument trays

DD-1252
Instrument tray
Size: 200 x 150 mm

DD-1253
Instrument tray
Size: 200 x 100 mm
Heat Sterilizable




For Sharper & More Accurate Images

Mirrors

Anti-Fog

#4 Small Mirror Head
Size: 22mm (.866")
Item # MK - 4

#5 Large Mirror Head
Size: 24mm (.944")
Item # DD-1254



Mirror Handle Item # MK-426

- 1 side plain surface
- Smooth surfaces for comfort
- Simple stem & Cone Socket design
- Made from high quality stainless steel
- Heat sterilizable up to 135°C.

Ortho Mirrors

Size: 40mm
Plain Mirror
Item # DD-1255

Magnifying Mirror
Item # DD-1256



- 1 side plain surface
- Smooth surfaces for comfort
- Made from high quality stainless steel
- Heat sterilizable up to 135°C.

Mirror Handles



Mirror Handle
Solid, Hexagonal
Item #DD-1257



Mirror Handle
Solid, Hexagonal
Item # DD-1258



Mirror Handle
Hollow, Hexagonal
Item #DD-1259



Mirror Handle
Solid, Hexagonal
Item # DD-1260

DEBONDING
Dental Instruments



Whatsapp#: +92 319 4631306

E-mail: info@debondingdentalinst.com

Website URL: www.debondingdentalinst.com